# nature research

| Corresponding author(s):   | Sudha Seshadri |  |
|----------------------------|----------------|--|
| Last updated by author(s): | YYYY-MM-DD     |  |

## **Reporting Summary**

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see our Editorial Policies and the Editorial Policy Checklist.

| <u> </u> |    |     |     |
|----------|----|-----|-----|
| St       | at | ict | 100 |

| an statistical analyses, commit that the following items are present in the figure regend, table regend, main text, or internous section.  |
|--|
| Confirmed  |
| $oxed{x}$ The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement  |
| 🕱 A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly  |
| The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.   |
| 🕱 A description of all covariates tested   |
| 🕱 A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons  |
| A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals) |
| For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i> ) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted <i>Give P values as exact values whenever suitable.</i>                        |
| For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings   |
| For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes   |
| Estimates of effect sizes (e.g. Cohen's <i>d</i> , Pearson's <i>r</i> ), indicating how they were calculated   |
|  |

Our web collection on statistics for biologists contains articles on many of the points above.

### Software and code

Policy information about <u>availability of computer code</u>

Data collection

MR image processing: measurement of cortical thickness, surface area and volume: FreeSurfer (5.1, 5.3, 6.0) and in-house developed software tool for cortical thickness measurement in the FHS cohort.

Data analysis

Identification of lead SNPs: Plink
Quality Control: easyQC
Annotation: ANNOVAR and Fuma
Regional annotation Plots: locuszoom
Chromosoms ideogram: PHENOGRAM
Protein-Protein Interaktion Networks: String

Heritability: Solar and GCTA Genetic correlation: LDSC

GWAS meta-analysis: Metal

Imputation Software, phasing Software and annotation software (seperately for each cohort): Imputation: (IMPUTE2, MimiMac, MaCH); Phasing: (Shapelt, MaCH, IMPUTE2, EAGLE2, Fast Phase, Minimac); Association: (HASE, ProbABEL, Plink, mach2qtl, merlin, QUICKTEST, RAREMETALWORKER)

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.

#### Data

Policy information about availability of data

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

The complete summary statistics are available on request to the corresponding author (suseshad@bu.edu) and may be used for all scientific purposes except for the study of potentially sensitive and potentially stereotyping phenotypes such as intelligence and addiction, since this is proscribed by the consent terms for the NHLBI cohorts. Inidvidual level data or study specific summary results are only available through controlled access. Data for the Framingham Study are available through dbGaP, where qualified researchers can apply for authorization to access (https://www.ncbi.nlm.nih.gov/projects/gap/cgi-bin/study.cgi? study\_id=phs000007.v30.p11). Individual level data for the ARIC and CHS studies are also available through dbGaP. Data of European and Australian cohorts are available upon request, in keeping with data sharing guidelines in the EU General Data Protection Regulation. Data from UK Biobank can be accessed at http://www.ukbiobank.ac.uk and for the ENIGMA consortium from medlandse@gmail.com. Individual level data for VETSA is not available due to consent restrictions.

| Field-specific reporting        |  |
|---------------------------------|--|
| Please select the o             | ne below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.  |
| <b>x</b> Life sciences          | Behavioural & social sciences Ecological, evolutionary & environmental sciences  |
| For a reference copy of t       | the document with all sections, see <a href="mailto:nature.com/documents/nr-reporting-summary-flat.pdf">nature.com/documents/nr-reporting-summary-flat.pdf</a>   |
|                                 |  |
| Life scier                      | nces study design  |
| All studies must dis            | sclose on these points even when the disclosure is negative.   |
| Sample size                     | We used data from all cohorts in the CHARGE consortium with cortical thickness, surface area and volume data available   |
| Data exclusions                 | We excluded individuals with stroke and dementia and individuals with large missingness in the genotyping data, or sex mismatch in genotyping data or cryptic relatedness or high autosomal heterozygosity   |
| Replication                     | We tried to replicate our signifikant SNPs for cortical thickness and surface area in an independent sample of the ENIGMA consortium and we were able to replicate 62 of our 76 thickness and surface area findings. ENIGMA did not analyse the cortical volume, therefore we were not able to run a replication for that. |
| Randomization                   | no intervention was applied  |
| Blinding                        | no intervention was applied  |
|                                 |  |
| Reportin                        | g for specific materials, systems and methods  |
| We require informati            | on from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, ted is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.                          |
| Materials & ex                  | perimental systems Methods   |
| n/a Involved in th              | ne study n/a   Involved in the study   |
| Antibodies                      | ChIP-seq   |
| Eukaryotic                      |  |
|                                 | logy and archaeology MRI-based neuroimaging  |
| Animals and other organisms     |  |
| X   Human research participants |  |
| Dual use research of concern    |  |
| 1                               |  |

#### **Antibodies**

Antibodies used

Describe all antibodies used in the study; as applicable, provide supplier name, catalog number, clone name, and lot number.

Validation

Describe the validation of each primary antibody for the species and application, noting any validation statements on the manufacturer's website, relevant citations, antibody profiles in online databases, or data provided in the manuscript.

#### Eukaryotic cell lines

Policy information about cell lines

Cell line source(s)

State the source of each cell line used.

Authentication

Describe the authentication procedures for each cell line used OR declare that none of the cell lines used were authenticated.

Mycoplasma contamination

Confirm that all cell lines tested negative for mycoplasma contamination OR describe the results of the testing for mycoplasma contamination OR declare that the cell lines were not tested for mycoplasma contamination.

Commonly misidentified lines (See ICLAC register)

Name any commonly misidentified cell lines used in the study and provide a rationale for their use.

#### Palaeontology and Archaeology

Specimen provenance

Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information).

Specimen deposition

Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Ethics oversight

Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

#### Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Laboratory animals

For laboratory animals, report species, strain, sex and age OR state that the study did not involve laboratory animals.

Wild animals

Provide details on animals observed in or captured in the field; report species, sex and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released, say where and when) OR state that the study did not involve wild animals.

Field-collected samples

For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field.

Ethics oversight

Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

### Human research participants

Policy information about studies involving human research participants

Population characteristics

The sample comprises of 21 population based cohorts. Participants included men and women who were between 12 and 100 years, free of stroke, dementia and major psychiatric morbidities.

Recruitment

The recruitment process was individual for each cohorts. Please see the supplementary methods (page 2) for details.

Ethics oversight

Each study protocol was approved from institutional review boards or equivalent organizations and all participants provided written informed consent.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

#### Clinical data

Policy information about clinical studies

All manuscripts should comply with the ICMJEguidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Clinical trial registration | Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.

| Study protocol   | Note where the full trial protocol can be accessed OR if not available, explain why.  |
|--|---|
| Data collection  | Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.   |
| Outcomes   | Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.  |
| Dual use research  |   |
| Policy information about <u>dua</u>  | use research of concern   |
| Hazards  |   |
| Could the accidental, deliberation in the manuscript, pose a t   | erate or reckless misuse of agents or technologies generated in the work, or the application of information presented hreat to:   |
| No Yes Public health National security Crops and/or livestor Ecosystems Any other significant                                  |   |
| Experiments of concern  Does the work involve any  | of these experiments of concern:  |
| Confer resistance to Enhance the virulence Increase transmissib Alter the host range Enable evasion of dia Enable the weaponiz |   |
|  | and final processed data have been deposited in a public database such as <u>GEO</u> .  deposited or provided access to graph files (e.g. BED files) for the called peaks.                                  |
| Data access links<br>May remain private before publica   | For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.   |
| Files in database submissio  | Provide a list of all files available in the database submission.   |
| Genome browser session (e.g. <u>UCSC</u> )   | Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents. |
| Methodology  |   |

Replicates Describe the experimental replicates, specifying number, type and replicate agreement. Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and Sequencing depth whether they were paired- or single-end. Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot Antibodies Peak calling parameters Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.

Data quality

Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.

Software

Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

#### Flow Cytometry

| Plots  |  |
|--|--|
| Confirm that:  |  |
| The axis labels state the ma   | arker and fluorochrome used (e.g. CD4-FITC).   |
| The axis scales are clearly v  | visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).  |
| All plots are contour plots v  | with outliers or pseudocolor plots.  |
| A numerical value for number of cells or percentage (with statistics) is provided. |  |
| Methodology  |  |
| Sample preparation   | Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.  |
| Instrument   | Identify the instrument used for data collection, specifying make and model number.  |
| Software   | Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.   |
| Cell population abundance  | Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.  |
| Gating strategy  | Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined. |
|  | at a figure exemplifying the gating strategy is provided in the Supplementary Information.   |
| Magnetic resonance imaging   |  |
| Experimental design  |  |
| Design type  | Structural analysis only   |
|  |  |

Design specifications No functional MRI imaging Behavioral performance measures No functional MRI imaging Acquisition Imaging type(s) Structural (please see supplementary table 34 for further sequence details for each study cohort)

Field strength 1.5 and 3T T1 MPRAGE at 1mm isotropic in-plane resolution, slice thickness varied between 1mm and 1.5mm Sequence & imaging parameters

Diffusion MRI Used

**✗** Not used

full brain

#### Preprocessing

Normalization template

Area of acquisition

Preprocessing software No specific preprocessing was used. FreeSurfer itself uses a built in normalization, template registration and noise removal algorithm. (https://surfer.nmr.mgh.harvard.edu/fswiki/recon-all#StepDescriptionSummaries)

Normalization If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.

Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g.

original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.

Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and Noise and artifact removal physiological signals (heart rate, respiration).

| Volume censoring   | Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.  |  |
|--|--|--|
| Statistical modeling & inference                                 | ence   |  |
| Model type and settings  | Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation). |  |
| Effect(s) tested   | Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOV or factorial designs were used.  |  |
| Specify type of analysis: W                                      | /hole brain ROI-based Both   |  |
| Statistic type for inference<br>(See <u>Eklund et al. 2016</u> ) | Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.  |  |
| Correction   | Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).   |  |
| Models & analysis  |  |  |

| n/a | Involved in the study                        |
|-----|--|
| X   | Functional and/or effective connectivity     |
| X   | Graph analysis                               |
| ×   | Multivariate modeling or predictive analysis |